



POHLED




POHLED



Průřezy


Jméno	Typ	Materiál	Výroba	A [m ²]	I _y [m ⁴]	W _{el.y} [m ³]	Barva
	Detailní				I _z [m ⁴]	W _{el.z} [m ³]	
CS1	VHP100/50x4.0	S 235	tvářený za studena	1,1000e-03	1,3400e-06 4,5000e-07	2,6800e-05 1,8000e-05	

Picture




Jméno	Typ	Materiál	Výroba	A [m ²]	I _y [m ⁴]	W _{el.y} [m ³]	Barva
	Detailní				I _z [m ⁴]	W _{el.z} [m ³]	
CS2	RO82.5X10	S 235	válcovaný	2,2800e-03	1,5200e-06 1,5200e-06	3,7000e-05 3,7000e-05	

Picture




Jméno	Typ	Materiál	Výroba	A [m ²]	I _y [m ⁴]	W _{el.y} [m ³]	Barva
	Detailní				I _z [m ⁴]	W _{el.z} [m ³]	
CS3	L70/8	S 235	válcovaný	1,0700e-03	7,4900e-07 2,0000e-07	1,5124e-05 6,9220e-06	

Picture




Jméno	Typ	Materiál	Výroba	A [m ²]	I _y [m ⁴]	W _{el.y} [m ³]	Barva
	Detailní				I _z [m ⁴]	W _{el.z} [m ³]	
CS4	L90/60/6	S 235	válcovaný	8,7100e-04	8,2100e-07 1,4900e-07	1,3327e-05 4,6482e-06	

Picture




Jméno	Typ	Materiál	Výroba	A [m²]	I _y [m⁴]	W _{el.y} [m³]	Barva
	Detailní				I _z [m⁴]	W _{el.z} [m³]	
CS5	OBDEL 70; 70	C24 (EN 338)	dřevo	4,9000e-03	2,0008e-06 2,0008e-06	5,7167e-05 5,7167e-05	

Picture



Jméno	Typ	Materiál	Výroba	A [m²]	I _y [m⁴]	W _{el.y} [m³]	Barva
	Detailní				I _z [m⁴]	W _{el.z} [m³]	
CS6	VHP70/70x5.0	S 235	tvářený za studena	1,2400e-03	8,4600e-07 8,4600e-07	2,4200e-05 2,4200e-05	

Picture



Jméno	Typ	Materiál	Výroba	A [m²]	I _y [m⁴]	W _{el.y} [m³]	Barva
	Detailní				I _z [m⁴]	W _{el.z} [m³]	
CS7	2 Obdel 42; 70; 100	C24 (EN 338)	dřevo	5,8800e-03	2,4010e-06 3,0505e-05	6,8600e-05 3,3158e-04	

Picture

